



Mic-organisms: Introduction to Microbes

Students learn about the different types of microbes – bacteria, viruses and fungi. They learn that microbes have different shapes and that they are found everywhere.

Curriculum Links

Science

- Working scientifically
- Scientific attitudes
- Experimental skills and investigations

Biology

- Structure and function of living organism,
- Cells and organisation

Genetics and Evolution

- Inheritance
- Chromosomes
- DNA and genes

PSHE/RSHE

- Health and prevention

English

- Reading
- Writing

@ Weblink

[e-bug.eu/eng/KS3/lesson/
Introduction-to-Microbes](http://e-bug.eu/eng/KS3/lesson/Introduction-to-Microbes)

Key Words

Bacteria, Cell, Disease, Fungi,
Germ, Microbe, Microscope,
Pathogen, Virus

Learning Outcomes

All students will:

- Understand there are three different types of microbe.
- Understand that microbes are found everywhere.
- Understand that useful bacteria are found in our body.
- Understand that microbes come in different sizes.

Most students will:

- Understand the key differences between the three main types of microbe.

Resources Required

Introduction

Per student

- Copy of SH1

Main Activity: Microbe Mayhem

Per group

- Copy of SH2
- Copy of SH3
- Copy of SH4
- Copy of SH5

Extension Activity: Posters

Per student

- Pens/pencils
- Paper

Extension Activity: Intro to Microbes Quiz


Per group

- Copy of SW1


Advance Preparation

Cut out and laminate a set of playing cards (SH2 – SH5) for each group.

Supporting Materials



SH1 How Big is a Microbe?



SH2 Microbe Mayhem




SH3 Microbe Mayhem



SH4 Microbe Mayhem



SH5 Microbe Mayhem



SW1 Quiz

Lesson Plan




Introduction

1. Begin the lesson by asking students what they already know about micro-organisms. Explain that micro-organisms, sometimes called microbes, germs or bugs, are living things but are too small to be seen with our eyes; they can only be seen through a microscope.
2. Explain that microbes are the smallest living creatures on Earth and that the word micro-organism literally translates into micro: small and organism: life. Microbes are so small they cannot be seen without the use of a microscope. Antonie van Leeuwenhoek created the first microscope in 1676. He used it to examine various items around his home and termed the living creatures (bacteria) he found on scrapings from his teeth 'animalcules'.
3. Tell the class that we will focus on three different types of microbe: bacteria, viruses and fungi. Use the factsheet (SH1) to demonstrate how these three microbes vary in shape and structure.
4. Emphasise that although microbes cause disease, there are also useful microbes. Ask students to identify some benefits of useful microbes. If they cannot, provide examples for them e.g. *Lactobacillus* in yoghurt, probiotic bacteria in our gut which aid digestion and the fungus *Penicillium* which produces the antibiotic penicillin.
5. Highlight to the class that microbes can be found EVERYWHERE – floating around in the air we breathe, on the food we eat, in the water we drink and on the surface of and in our bodies. Emphasise that although there are harmful microbes that can make us ill, there are many more useful microbes that we can use.

Main Activity: Microbe Mayhem

1 Shuffle the cards and deal cards to players



2 Make sure only you can see your cards

3 Take turns to choose which microbe characteristic you would like to battle others with

4 The player with the highest characteristic score wins the round

Max size (nm)	1,000
Number of species	19
Danger to humans	174
Usefulness to humans	20
Antibiotic resistance	90

Medicillin resistant *Staphylococcus aureus* (MRSA) are a type of *Staphylococcus* bacteria that have mutated to become resistant to most antibiotics. They can cause severe infection in humans.

Max size (nm)	1,000,000
Number of species	200
Danger to humans	47
Usefulness to humans	124
Antibiotic resistance	N/A

Microbe Mayhem

In this activity groups of 3-4 students play a card game which helps them remember some of the technical words relating to microbes as well as familiarising students with a variety of microbial names, the differences in size, capability of causing harm and if antibiotic resistance occurs. Microbe size and number of species are correct at the time of resource development; however as new microbes are continuously being discovered and reclassified, these numbers may be subject to change.

The remaining numbers presented are only to be used as a guide and are illustrative only. There is no formulae to create these and they may also be subject to change i.e. bacterial species may develop resistance to more antibiotics resulting in them having a higher number being more dangerous to humans.

Hand out a set of Microbe Mayhem playing cards SH2 - SH5 to each group. Let the students know that 'nm' on the playing cards

stands for nanometres. There are ten million nanometres in a centimetre.

Game rules

- 1 The dealer should shuffle the cards well and deal all the cards face down to each player. Each player holds their cards face up so that they can see the top card only.
- 2 The player to the dealer's left starts by reading out the name of the microbe on the top card and chooses an item to read (e.g. Size 50). In a clockwise direction, the other players then read out the same item. The player with the highest value wins, taking the other players top cards and placing them to the bottom of their pile. reads out the name of the microbe on their next card and selects the item to compare.
- 3 If two or more players have the same top value then all the cards are placed in the middle and the same player chooses again from the next card. The winner then takes the cards in the middle. The person with all the cards at the end is the winner.

Discussion

At the end of the activity, explain to the students that microbes are found everywhere, even on your text books and flashcards. Stress that microbes are found all over our skin, mouths, gut and especially hands. Most are completely harmless that we carry without knowing.

Discuss that the bacteria on our bodies are important as they act as a barrier to stop other more harmful bacteria entering your body and making you ill.

Extension Activities

This activity will give students the opportunity to expand their understanding by undertaking a brief research exercise.

Divide the class into groups of 3 – 4 students. Each group should research and create a poster on one of the following topics:

- 1 Choose a specific type of bacteria, virus or fungus e.g. *Salmonella*, Influenza or *Penicillium*. The poster should include
 - a. Structure of that microbe
 - b. The different places they can be found
 - c. How they affect humans in either a useful or harmful way
 - d. Any specific growth requirements of that group of microbes

- 2 A timeline poster on the history of microbes. This poster may include:
 - a. 1676: van Leeuwenhoek discovers 'animalcules' using homemade microscope
 - b. 1796: Jenner discovers smallpox vaccination
 - c. 1850: Semmelweis advocated washing hands to stop the spread of disease
 - d. 1861: Pasteur publishes germ theory: the concept that germs cause disease
 - e. 1892: Ivanovski discovers viruses
 - f. 1905: Koch awarded the Nobel Prize in Medicine for his work understanding tuberculosis and its causes
 - g. 1929: Fleming discovers antibiotics

Microbes Quiz

SW1 provides a fun way to consolidate learning. Allocate students to groups of 3 or 4 and provide one quiz sheet per team. The team with the most points wins. Answers are available on the e-Bug website.


Learning Consolidation

To consolidate learning you may wish to encourage students to present their poster to the class or consider creating a display in your classroom, or on a common notice board.





Viruses



Viruses are NOT free living – they MUST live inside another living cell/organism

Capsid

Double lipid layer holding the cells genetic material.


Glycoproteins

These serve 2 purposes:

- 1 Anchor the virus to the host cell.
- 2 Transport genetic material from the virus to the host cell.

Nucleic acid
Either DNA or RNA material, but viruses rarely contain both. Most viruses contain RNA material.

Bacteria



Bacteria are free living and are found everywhere

Chromosome:

Genetic material (DNA) of the cell.

Cell wall:

The cell wall is made of peptidoglycan and maintains the overall shape of a bacterial cell.


Cell membrane:

Lining the inside of the cell wall providing a boundary for the contents of the cell and a barrier to substances entering and leaving.

Cytoplasm:

Jelly like substance inside of the cell holding the contents.

Fungi



Sporangia:
Spore producing body.

Sporangiophore:
Filamentous stalk on which the sporangium forms.

Rhizoids:
The sub-surface hyphae are specialized for food absorption.

Microbe Size





Streptococcus
Strep-Toe-Coccus
Bacterium

Max size (nm)	1,000
Number of species	21
Danger to humans	50
Usefulness to humans	75
Antibiotic resistance	50

Many *Streptococcus* species are harmless to humans and are the normal flora of the mouth and hands. However, Group A *Streptococcus* bacteria cause about 15% of sore throats.



Chlamydia
Clam-id-E-A
Bacterium

Max size (nm)	1,000
Number of species	3
Danger to humans	37
Usefulness to humans	1
Antibiotic resistance	70

Chlamydia is a sexually transmitted infection (STI) that is caused by the bacteria *Chlamydia trachomatis*. Although symptoms are generally mild i.e. discharge from the penis or vagina, it can lead to infertility.



Staphylococcus
Staff-ill-O-coccus
Bacterium

Max size (nm)	1,000
Number of species	19
Danger to humans	174
Usefulness to humans	20
Antibiotic resistance	90

Meticillin resistant *Staphylococcus aureus* (MRSA) are a type of *Staphylococcus aureus* that have mutated to become resistant to most antibiotics. They can cause severe infection in humans.



Salmonella
Sarn-on-ella
Bacterium

Max size (nm)	1,000
Number of species	3
Danger to humans	89
Usefulness to humans	15
Antibiotic resistance	60

Salmonella are most commonly known for causing food poisoning. Symptoms range from vomiting to diarrhoea. *Salmonella* is becoming resistant to antibiotics with an estimated 6,200 resistant cases per year in the US.



Treponema
Trep-O-Nee-Ma
Bacterium

Max size (nm)	1,000
Number of species	3
Danger to humans	115
Usefulness to humans	8
Antibiotic resistance	50

Syphilis is an extremely contagious disease, caused by *Treponema* bacteria. In severe cases syphilis can lead to brain damage or death. Syphilis can be cured with antibiotics however resistant strains are becoming more frequent.



Escherichia coli
Esh-Er-Ic-E-Ah
Bacterium

Max size (nm)	1,000
Number of species	7
Danger to humans	70
Usefulness to humans	184
Antibiotic resistance	80

Many strains of *E. coli* are harmless, and huge numbers are present in the human and animal gut. In some cases, however, *E. coli* cause both urinary infections and food poisoning.



Lactobacillus
Lac-Toe-Ba-Sil-Us
Bacterium

Max size (nm)	2,000
Number of species	7
Danger to humans	70
Usefulness to humans	184
Antibiotic resistance	80

Lactobacilli are very common and usually harmless to humans; they make up a small portion of the gut flora. These bacteria have been extensively used in the food industry - in yoghurt and cheese making.



Pseudomonas
Sued-O-Moan-Us
Bacterium

Max size (nm)	5,000
Number of species	126
Danger to humans	50
Usefulness to humans	150
Antibiotic resistance	90

Pseudomonas are one of the most common microbes found in almost all environments. Although some may cause disease in humans, other species are involved in decomposition. Some *Pseudomonas* species are becoming resistant to multiple antibiotic treatment.



Micro-organisms: Introduction to Microbes



		<i>Stachybotrys</i> Stack-Ee-Bo-Trys Fungus					
Max size (nm)	72,000	Max size (nm)	110,000	Max size (nm)	8,500,000	Max size (nm)	332,000
Number of species	2	Number of species	12	Number of species	4	Number of species	16
Danger to humans	83	Danger to humans	43	Danger to humans	1	Danger to humans	64
Usefulness to humans	2	Usefulness to humans	14	Usefulness to humans	184	Usefulness to humans	198
Antibiotic resistance	N/A	Antibiotic resistance	N/A	Antibiotic resistance	N/A	Antibiotic resistance	N/A

Stachybotrys (or straw mould) is a black toxic fungus that although itself is not pathogenic, it does produce a number of toxins that can cause rashes or life threatening reactions for those with respiratory problems.

Tinea (in-Ee-A Fungus) is a variety of fungi that can cause foot rashes. *Tinea* cause the itchy, cracked skin between toes known as Athlete's foot, which is the most common fungal skin infection. Athlete's foot affects nearly 70% of the population.

Saccharomyces (Sac-A-Row-My-Sees Fungus) has been used to make beer and bread! It is also used to make wine and it is widely used in biomedical research. One yeast cell can turn into 1,000,000 in only six hours.

Penicillium is a fungus that naturally produces the antibiotic penicillin. Since this discovery, the antibiotic has been mass produced to fight bacterial infections. Unfortunately, due to its overuse many bacterial species have become resistant to this antibiotic.

Aspergillus is both beneficial and harmful to humans. Many are used in industry and medicine. It accounts for over 99% of global citric acid production and is a component of medications, which manufacturers claim can decrease flatulence!

Verticillium is a widely distributed fungus that inhabits decaying vegetation and soil. Some may be pathogenic to insects, plants, and other fungi but very rarely cause human disease.

Candida (Can-Did-a Fungus) is naturally found living in the human mouth and gastrointestinal tract. Under normal circumstances these fungi live in 80% of the human population with no harmful effects, although overgrowth results in candidiasis (thrush).

Cryptococcus is a fungus which grows as a yeast. It is known for causing a severe form of meningitis in people with HIV/AIDS. The majority of *Cryptococci* live in the soil and are not harmful to humans.



Influenza A In-Flu-En-Za A Virus	
Max size (nm)	90
Number of species	1
Danger to humans	146
Usefulness to humans	12
Antibiotic resistance	N/A

The flu is an infection caused by Orthomyxoviridae. Every year 5 – 40% of the population get the flu but most people recover completely in a couple of weeks.

Tobamovirus Tob-A-Mo-Virus Virus	
Max size (nm)	18
Number of species	125
Danger to humans	12
Usefulness to humans	34
Antibiotic resistance	N/A

Tobamovirus are a group of viruses that infect plants, the most common being tobacco mosaic virus, which infects tobacco and other plants. This virus has been very useful in scientific research.

Mycobacterium My-co-back-tear-e-a Bacterium	
Max size (nm)	4,000
Number of species	5
Danger to humans	150
Usefulness to humans	0
Antibiotic resistance	100

Tuberculosis (TB) is caused by the bacterium *Mycobacterium tuberculosis* and is one of the top 10 causes of death worldwide. Although treatable with antibiotics, many strains of TB are becoming resistant to multiple antibiotics.

Neisseria Nei-sheer-e-a Bacterium	
Max size (nm)	800
Number of species	13
Danger to humans	120
Usefulness to humans	0
Antibiotic resistance	20

Neisseria meningitidis is a bacterium that can cause meningitis, a life threatening disease. A vaccine is available to protect against the 4 main types of this bacteria A, C, W and Y.

Simplex Virus Sim-Plex Virus Virus	
Max size (nm)	200
Number of species	2
Danger to humans	64
Usefulness to humans	2
Antibiotic resistance	N/A

Herpes simplex is one of the oldest known sexually transmitted infections. In many cases, Herpes infections produce no symptoms, but scab-like symptoms do occur in about one third of people infected.

Lyssavirus Lice-A-Virus Virus	
Max size (nm)	180
Number of species	10
Danger to humans	74
Usefulness to humans	5
Antibiotic resistance	N/A

The *Lyssavirus* infect both plants and animals. The most common *Lyssavirus* is the Rabies virus and is usually associated with dogs. Rabies results in over 55,000 deaths worldwide every year but can be prevented by vaccination.

Lymphocryptovirus Lim-Foe-Cryp-Toe-Virus Virus	
Max size (nm)	110
Number of species	7
Danger to humans	37
Usefulness to humans	2
Antibiotic resistance	N/A

The Epstein-Barr virus, a type of *Lymphocryptovirus*, causes an illness known as the Kissing Disease or glandular fever. Symptoms include sore throats and extreme tiredness. Transmission requires close contact such as kissing.

Filovirus File-o-vi-rus Virus	
Max size (nm)	1,500
Number of species	1
Danger to humans	200
Usefulness to humans	0
Antibiotic resistance	N/A

Filovirus causes a disease more commonly known as Ebola. It is one of the more dangerous viruses known to humans. 25 – 90% of victims died from the disease before the development and approval of a vaccine in 2019.

Micro-organisms: Introduction to Microbes



Rhinovirus
Rhino-Virus
Virus



Max size (nm)	25
Number of species	2
Danger to humans	28
Usefulness to humans	14
Antibiotic resistance	N/A

There are over 250 different kinds of cold viruses, but *Rhinovirus* is by far the most common. *Rhinovirus* can survive three hours outside someone's nose. If it gets on your fingers and you rub your nose, you've caught it!


HIV
H/I/V
Virus



Max size (nm)	120
Number of species	2
Danger to humans	150
Usefulness to humans	0
Antibiotic resistance	N/A

The *human immunodeficiency virus* (HIV) is a sexually transmitted infection (STI) which leads to acquired immunodeficiency syndrome (AIDS). Individuals with this condition are more at risk of infection and cancer.

Norovirus
Nor-o-virus
Virus



Max size (nm)	35
Number of species	8
Danger to humans	25
Usefulness to humans	0
Antibiotic resistance	N/A

Norovirus, known as the winter vomiting bug, is the most common cause of gastroenteritis causing symptoms of diarrhoea, vomiting and stomach pain. The virus is highly contagious and can be prevented through hand washing and disinfection.

Varicellovirus
Var-E-Cell-O-Virus
Virus



Max size (nm)	200
Number of species	2
Danger to humans	21
Usefulness to humans	7
Antibiotic resistance	N/A

Chickenpox is caused by the *Varicella-Zoster* virus. It is highly contagious although rarely serious and is spread through direct contact (or coughing and sneezing). Almost everyone caught chickenpox in their childhood prior to the discovery of the chickenpox vaccine.

Papillomavirus
Pap-ill-O-Ma-r-virus
Virus



Max size (nm)	55
Number of species	170
Danger to humans	130
Usefulness to humans	0
Antibiotic resistance	N/A

Human papillomavirus (HPV) is a sexually transmitted infection (STI) which can cause genital warts. It is the most common cause of cervical cancer in women but there is now a vaccine available for teenagers which protects against this.

Zika
Zee-ka
Virus



Max size (nm)	40
Number of species	1
Danger to humans	98
Usefulness to humans	0
Antibiotic resistance	N/A

The Zika virus is spread by mosquitoes. Zika can be passed from a pregnant woman to her fetus. Infection during pregnancy can cause certain birth defects. There is no vaccine or medicine for Zika.





Quiz: Microbes

Please tick as many answers as appropriate

Which of these are microbes?

(3 points)

- Bacteria
- Virus
- Antibiotic
- Fungi

Microbes are found:

(1 point)

- In the air
- On our hands
- On surfaces
- Everywhere

Which foods or drinks are produced through the growth of microbes?

(4 points)

- Cheese
- Bread
- Yogurt
- Fizzy drinks

What is another word for a harmful microbe?

(1 point)

- Infectious
- Antibiotic
- Pathogen
- Flora

Which is the smallest?

(1 point)

- Bacterium
- Virus
- Fungus
- They are all the same size

Microbes:

(1 point)

- Are all harmful
- Are all useful
- Can be harmful or useful
- Have no effect on the human body

Which of these microbes causes the common cold?

(1 point)

- Bacteria
- Virus
- Fungi

Which of these are shapes of microbes?

(1 point)

- Rods
- Balls
- Spirals
- All of the above

